


# TACTIK® Factory Taillight Euro-Guards

Installation Manual: for '07-Current Jeep Wrangler JK

#13117.0101 and #13117.0201



## PARTS LIST:

Driver Side Taillight Euro-Guard - QTY 1  
Passenger Taillight Euro-Guard - QTY 1  
Euro-Guard Spacers - QTY 8  
Small 2" Phillips Head Screw - QTY 4  
Large 2" Phillips Head Screw - QTY 4

## REQUIRED TOOLS:

Safety Glasses  
Phillips Head Screwdriver

## ⚠ CAUTION ⚠

**READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS BEFORE ATTEMPTING TO INSTALL THIS PRODUCT. ALWAYS WEAR SAFETY GLASSES DURING INSTALL.**

### **Complete Euro Guard Installation:**

*If you plan on installing our complete set of front Euro Guards (Headlights, Turn Signals, Fog Lamps and Side Markers) all at once, we recommend doing it in the following order:*

1. Headlight Guards
2. Turn Signal Guards
3. Fog Lamp Guards
4. Side Marker Light Guards

*Each item will come with instructions.*



# TACTIK®

## Taillight Euro-Guard Installation



Figure 1

**Step One: Remove Original Screws**  
Put on safety glasses. Starting on the Passenger side Taillight, Carefully remove the four (4) taillight mounting screws with a Phillips head screw driver (Fig 1). Upon removal, notice the width



Figure 2

difference when removed. The **larger** screws (thicker) go on the **outside** of the Taillight housing where the **smaller** screws go on the **inside** (Fig 2). Set aside the original screws, as they will not be used with Euro-Guards.



Figure 3

**Step Two: Begin Installation**  
Locate the Large Replacement Screw and one Lens/Euro-Guard Spacer. Place the large screw through the outer top hole of the Passenger side Euro-Guard. Place the black spacer over the



Figure 4

screw on the inside of the Euro-Guard (Fig 3). Install the **larger** screw into the **outer** top screw hole on the light housing itself and tighten only slightly. **DO NOT** Tighten all the way at this time. Next, move to the upper **inside**

# TACTIK®

## Taillight Euro-Guard Installation



hole of the taillight and repeat the procedure this time using the **smaller** screw and a Lens/Euro-Guard Spacer (Fig 4).

Again, loosely tighten this screw into place leaving room to install the lower Screws into the taillight/Euro-Guard (Fig 5).

Follow this same procedure for the lower outer screw mounts (Large Screw and spacer) and the lower inner screw mounts (Small Screw and Spacer).



**Step Three: Tighten Mounting Screws**  
With the Euro-Guard and all new screws are in place, gently tighten all four screws starting at the top and working clock wise around the taillight. Tighten all screws evenly as to make sure the taillight is secured Evenly.

**Do not over tighten!**

**Step Four: Install Opposite Side**

Repeat steps 1-3 shown above on the Driver side Taillight assembly. Remember to start on the outer holes (large Screws) and then proceed to the inner section (smaller screws).

### NOTICE

IT IS EXTREMELY IMPORTANT NOT TO OVER-TIGHTEN THE SCREWS ON THE TAILLIGHT EURO-GUARDS. OVER-TIGHTENING CAN CAUSE THE TAILLIGHT LENS TO CRACK.

# TACTIK®

**⚠ CAUTION ⚠**

**ALWAYS CHECK TURN SIGNAL AND LIGHTS FUNCTION BEFORE DRIVING AFTER EURO - GUARD INSTALLATION.**

**Care and Maintenance:**

*Your Euro-Guards have been designed and manufactured to provide years of use. However, like any product general maintenance is required to keep them looking new. Since the Euro-Guard is located on the exterior of the vehicle, it is subject to potential rock chips and other debris potentially causing portions of the paint to chip off.*

**For Textured Finish Euro-Guards:**

*We recommend using a textured spray paint sprayed on a piece of cardboard and Q-Tip to gently fill in these chips. This will prevent any rust from forming.*

**For Bright Finish Euro-Guards:**

*To protect your bright finish Euro-Guards we recommend using a car wax on the parts on a regular basis. This will protect the finish and keep your Euro-Guards looking like new.*



**TACTIK® Exclusive Three Year Limited Warranty:**

*Please see separate Warranty Card insert for full details regarding the TACTIK® Exclusive Three Year Limited Warranty.*

© TACTIK® 2016. All Rights Reserved.  
1.5.16 LTR Version  
Instruction Booklet #12999.3014

**TACTIK®**

# TACTIK® Exclusive Three Year Limited Warranty

Your TACTIK® branded accessories are covered by the following **Limited Warranty** provided exclusively by the TACTIK® Division of Quadratec, Inc. 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. TACTIK® neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to TACTIK® branded accessories first sold in the United States, TACTIK® warrants to the initial retail purchaser only that your TACTIK® accessory shall be free of defects in material and workmanship: **for a period of three (3) years from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the TACTIK® accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. TACTIK® reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

**What is Not Covered:**

Your TACTIK™ **Limited Warranty** does not cover products or parts TACTIK® determines to have been damaged by or subjected to: (a.) installation damage, alteration, modifica-

tion, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:**  
**The exclusive remedy provided hereunder shall, upon TACTIK® inspection and at TACTIK's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty.**

Customers requesting warranty consideration should first contact TACTIK® to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

**Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither TACTIK® nor any independent TACTIK® distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

© TACTIK® 2016. All Rights Reserved.  
LTR Version

# TACTIK®