

# Quadratec® Angry Grille Hood Deflector

Installation Manual: for Jeep Wrangler 2007 - Current

#11164.020X



## PARTS LIST:

Hood Deflector - QTY 1  
Grille Bumpers - QTY 2  
Alcohol Prep Pad - QTY 2  
Double Sided Tape (Clear Only)

## REQUIRED TOOLS:

Safety Glasses  
Phillips Head or Flat Head Screwdriver  
Magic Marker  
Adhesive Remover




**⚠ CAUTION ⚠**

**READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS BEFORE ATTEMPTING TO INSTALL THIS PRODUCT. ALWAYS WEAR SAFETY GLASSES DURING INSTALL.**



**The Trusted Source**

**Product Installation:**



*Put on safety glasses. Prepare the vehicle by removing the outer two grille retainer pins. Depending on model year, pry up or unscrew the plastic fasteners using a small screwdriver. Early model vehicles may feature Phillips head*



*screws, but most vehicles have a pry-up rivet as shown. (see FIG 1) Save for later use.*

*Line the Deflector up with the two outer grille retainer holes. (see FIG 2a & 2b)*



*Mark the grille to hood weather stripping where the deflector's tab rests. (see FIG 3)*



*Carefully peel seal away from grille. (see FIG 4)*

**NOTICE**

**Black hood deflector comes with all double-sided tape pre-installed. The clear paintable version comes with the roll of double-sided adhesive tape uninstalled in the event you choose to paint it before installation. Use alcohol prep pads on the vehicles to clean all surfaces where adhesive tape will be used.**





**The Trusted Source**

**Product Installation:**



Thoroughly clean area as shown with adhesive remover. (see Fig 5)

On the bug deflector: Prepare by cleaning the two areas where the grille bumpers will need to be installed using



the supplied alcohol prep pad. (FIG 6a)

Peel away adhesive on the bumpers and install to deflector as shown above (see FIG 6b) These bumpers should be installed symmetrically.



Prepare the vehicle by cleaning top of grille where tape will stick using the supplied alcohol prep pads. (FIG 7)

Carefully peel away the double-sided tape backing and line the deflector up



with the two outer retainer holes and the slot in the grille seal. Slide deflector in (under) weather stripping and firmly press on areas where the tape contacts the vehicle. Finally, replace the grille end retainers from step one. (FIG 8)



**The Trusted Source**

# Quadrtec® Exclusive Three Year Limited Warranty

Your Quadrtec® branded accessories are covered by the following **Limited Warranty** provided exclusively by Quadrtec, Inc., 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. Quadrtec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**. This **Limited Warranty** does not apply and is not cumulative to any accessory or part distributed by Quadrtec for which the Manufacturer provides a separate written warranty.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to Quadrtec branded accessories first sold in the United States, Quadrtec warrants to the initial retail purchaser only that your Quadrtec accessory shall be free of defects in material and workmanship: **for a period of three (3) years from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the Quadrtec accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. Quadrtec reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

**What is Not Covered:**

Your Quadrtec **Limited Warranty** does not cover products or parts Quadrtec determines to have been damaged by or subjected to:

(a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:**

**The exclusive remedy provided hereunder shall, upon Quadrtec inspection and at Quadrtec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty.** Customers requesting warranty consideration should first contact Quadrtec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

**Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither Quadrtec nor any independent Quadrtec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©Quadrtec, Inc. 2015. All Rights Reserved.

Part #12999.3040



**The Trusted Source**