
OVERLAND VEHICLE SYSTEMS

Cargo Storage Rack with Shelf and Sliding Extension Instructions



CAREFULLY READ INSTRUCTIONS PRIOR TO THE FIRST USE OF THE CARGO STORAGE RACK WITH SHELF AND SLIDING EXTENSION

APRIL 2026

GET TO KNOW YOUR CARGO STORAGE RACK

We recommend you check all parts are included prior to first use.

QTY	Part
2	SUPPORT FOOT 01
2	SUPPORT FOOT 02
2	SUPPORT FOOT 03
2	SUPPORT FOOT 04
1	TOP SHELF
2	CONNECTING ROD

QTY	Part
1	BOTTOM SHELF
32	M6X15MM BOLTS
12	M8X20MM BOLTS
28	M6 NUTS
12	M8 NUTS
12	M8 WASHER

QTY	Part
40	M6 WASHER
4	WEBBING
4	M10X1.25X50MM Bolts
4	M10X1.25 Nuts
4	M10 WASHER
4	SPRING WASHER

INSTALLATION

Engineered with Jeep owners in mind, this storage slide tray is designed to integrate seamlessly with Jeep JL Wrangler (2018–present) cargo areas. The system aligns with factory mounting locations for a clean, secure install—no guesswork, no compromise. For certain JL configurations and trims, installation may require utilizing the vehicle's pre-existing 1/4" factory bolts to properly secure the rack system. This ensures a solid fit while maintaining compatibility with the Jeep's OEM structure.

For other applications—such as Jeep JK Wranglers, trucks, and SUVs—this system is not a direct bolt-in solution. Installation will require custom modification, including drilling into the vehicle's cargo area or bed to create proper mounting points. Because every vehicle platform differs, fitment will vary and should be approached as a fully custom install. Professional installation is recommended for best results and safety.


Cargo Storage Rack with Shelf and Sliding Extension

SET-UP & CARE INSTRUCTIONS

1


Install the four support legs
Pair Support Leg 01 with Support Leg 03, and Support Leg 04. The height can be adjusted as needed.

Use M6x15mm Bolts, Washers, and Nuts



2

Attach the four support legs to the bottom shelf using M10x1.25x50MM Bolts, Washers, and Nuts




Cargo Storage Rack with Shelf and Sliding Extension

SET-UP & CARE INSTRUCTIONS


3

Attach the connecting rod to the support legs using M8x20MM Bolts, Washers, and Nuts



4

Attach the top shelf to the four support legs Using M6x15MM Bolts, Washers, and Nuts




Cargo Storage Rack with Shelf and Sliding Extension

SET-UP & CARE INSTRUCTIONS


5

When installing on a Jeep JL Wrangler, pull the slide extension out and use the pre-threaded inserts and M10 Bolt, Washer, and Nut to Install directly to the truck bed.




6

If installing onto other SUVs/CUVs, please check the car owner's handbook or the rear base of your vehicle for anchor point location.




If available, use the chair anchor points to bolt the drawer onto your car.

Check carefully the size between the chair mounting points and compare with the mounting rail at the bottom of the Shelf. Move mounting rail to desired right position.




7

Use the M10 bolts, nuts and washers. Some vehicles may require longer or shorter bolts. Please check your owners handbook or contact your local vehicle dealer if unable to locate or no anchor points available.



To access the bottom mounting rail easily, slide out the top panel and carefully pull out the drawer tub.

On Newer Jeeps, you must use the 1/4 Bolts (anchor point hardware) pre-installed with your Jeep JL.



Cargo Storage Rack with Shelf and Sliding Extension

SET-UP & CARE INSTRUCTIONS

CLEANING

Materials Needed:

- Mild dish soap or automotive soap
- Warm water
- Soft cloth or sponge
- Soft-bristle brush (if needed)
- Hose or bucket
- Microfiber cloth
- Optional: Car wax or polish for powder-coated surfaces

Steps:

- Rinse: Use clean water to remove loose dirt.
- Wash: Mix soap with warm water. Gently scrub with a soft cloth or sponge.
- Rinse: Thoroughly rinse off all soap.
- Dry: Use a microfiber cloth to dry.
- Optional: Apply wax or polish for extra shine and protection.

Tips:

- Avoid abrasive cleaners and harsh chemicals.
- Clean regularly to maintain appearance.

WARRANTY

Overland Vehicle Systems Cargo Shelves are produced to the highest manufacturing standards and are covered by a 5 Year limited warranty that protects the original purchaser against any defects in materials and workmanship under normal use. If upon determination by Overland Vehicle Systems that the shackle is defective, Overland Vehicle Systems will replace without charge, with an equivalent Cargo Shelf to the original purchaser according to the instructions supplied with the Cargo Shelf, and not damaged due to abuse, misuse or negligence. This warranty will not cover any labor charges incurred in installation, removal, replacement or repair, transportation cost or any consequential damages, which might be caused by the product. Overland Vehicle Systems shall not be liable in case of;

- Improper installation or modification of original product.
- Damages resulting from abuse
- Improper installation
- Any commercial application If the original purchaser finds a defect in material or workmanship, please contact Overland Vehicle Systems Warranty Service, 9830 Norwalk Blvd Suite 130, Santa Fe Springs, CA 90670.

The law in some states may expand or modify this warranty. This warranty supersedes all other warranties, expressed or implied.

⚠ WARNINGS

- **DO NOT exceed the manufacturer's specified weight capacity for the cargo shelf or sliding extension.**
- **EVENLY distribute cargo weight to prevent tipping, binding, or structural stress.**
- **ALWAYS secure all cargo with appropriate tie-downs or restraints before vehicle operation.**
- **DO NOT operate the vehicle with loose, unsecured, or shifting cargo.**
- **ENSURE the sliding extension is fully locked in the open or closed position before driving.**
- **NEVER allow passengers or pets to sit, stand, or ride on the cargo shelf or sliding extension.**
- **DO NOT use the sliding extension as a step, seat, or work platform.**
- **KEEP hands, fingers, and clothing clear of moving parts to avoid pinch or crush injuries.**
- **INSPECT mounting hardware, fasteners, and slide mechanisms regularly for looseness, wear, or damage.**
- **DISCONTINUE use immediately if any component shows signs of bending, cracking, excessive wear, or malfunction.**
- **ALWAYS follow vehicle manufacturer guidelines for cargo load limits and interior mounting points.**
- **DO NOT modify the cargo shelf or sliding extension, as modifications may compromise safety and structural integrity.**
- **ENSURE proper installation according to the provided instructions before use.**
- **USE caution when operating the sliding extension on uneven terrain or inclines.**
- **REMOVE or reduce cargo load when traveling off-road or over rough terrain to prevent damage or failure.**
- **KEEP children away from the sliding extension during operation.**
- **FAILURE to follow these warnings may result in injury, vehicle damage, or product failure.**

DO YOU NEED OUR HELP?

CUSTOMER SUPPORT 833-226-4863

SALES@OVERLANDVEHICLESYSTEMS.COM

WANT TO SHOW US YOUR RIG? CHECK OUT OUR SOCIAL!

@overlandvehiclesystems

APRIL 2026