

# Quadratec® Premium Billet Mirror Movers for Jeep® Wrangler JK '07-Current

**Installation and Instruction Manual:** Item #13125.0220



## **CAUTION**

**READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS AND PROCEDURE NOTICES BEFORE ATTEMPTING TO INSTALL OR USE THIS PRODUCT.**

### **REQUIRED TOOLS:**

**SAFETY GLASSES**  
**T40 TORX KEY (SUPPLIED)**  
**3MM HEX KEY (SUPPLIED)**

### **KIT CONTENTS LIST:**

**MIRROR MOVERS & HEADS (L&R)**  
**RUBBER GASKETS FOR PILLARS (2)**  
**DOOR FILL PLATE WITH BUMPER (2)**



**The Trusted Source**



Put on safety glasses. Start on Driver's side. Open door and locate Two T40 Torx bolts on the inside door panel. Remove bolts with the supplied T40 Torx wrench.

Take care to support the mirror on the outside of door to prevent dropping or damaging factory mirror. Retain the factory T40 Torx bolts for reassembly. Factory mirrors will not be re-used.



For vehicles equipped with factory power mirrors, please view the video on the webpage below: [http://www.quadratec.com/products/13125\\_0220.htm](http://www.quadratec.com/products/13125_0220.htm)

Locate the filler plate with bumper as shown in FIG2. The longer extension tube goes into the bottom hole on the door. Insert through the door into the stock mirror location.



Reinstall the factory T40 Torx Bolts into the filler plate as shown above. Tighten with the supplied Torx wrench. Remove



the lower two T40 Torx bolts in the A-Pillar windshield bracket as shown in FIG4 Retain these bolts for reassembly.

**CAUTION**

READ ALL SAFETY MESSAGES AND ALWAYS WEAR SAFETY GLASSES WHEN WORKING WITH TOOLS.



**The Trusted Source**



Figure 5

Place the supplied rubber gasket into position, aligning the holes with the holes on the A-Pillar Windshield Bracket as shown in FIG5. As shown in FIG6, Position and install the new mirror assembly using the factory T40 Torx bolts and supplied wrench.



Figure 6

Use extra caution to avoid dropping the mirror assembly. When these bolts are tightened, your mirror installation is complete. Repeat all above steps to complete passenger side installation. Adjust your mirrors then check and snug all fasteners before driving.



Figure 7

**Block-Open Feature:** In the event you choose to remove your doors, there is a convenient block-open feature built into these mirrors. Swing the mirror out and locate small hole on the lower hinge assembly. Carefully insert the supplied



Figure 8

3mm allen key as shown in FIG7. The 3mm allen key acts as a pin to hold the upper hinge in place. Gently allow mirror to return and contact the allen key as shown in FIG8. With mirrors blocked out of the way, doors can be removed.

## NOTICE

**BE CAREFUL NOT TO EXTEND MIRROR BEYOND 90 DEGREES. OVER-EXTENSION MAY DAMAGE THE SPRING-LOAD MECHANISM.**



**The Trusted Source**

# Quadratec® Exclusive Three Year Limited Warranty

Your Quadratec® branded accessories are covered by the following **Limited Warranty** provided exclusively by Quadratec, Inc., 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. Quadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**. This **Limited Warranty** does not apply and is not cumulative to any accessory or part distributed by Quadratec for which the Manufacturer provides a separate written warranty.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to Quadratec branded accessories first sold in the United States, Quadratec warrants to the initial retail purchaser only that your Quadratec accessory shall be free of defects in material and workmanship: **for a period of three (3) years from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the Quadratec accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. Quadratec reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

**What is Not Covered:**  
Your Quadratec **Limited Warranty** does not cover products or parts Quadratec determines to have been damaged by or subjected to:

(a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:**  
**The exclusive remedy provided hereunder shall, upon Quadratec inspection and at Quadratec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty.** Customers requesting warranty consideration should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

#### **Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither Quadratec nor any independent Quadratec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©Quadratec, Inc. 2015. All Rights Reserved.  
US Patent Pending

Instructions Part #12999.3025



**The Trusted Source**