


**Installation Instructions:***(Part # SB76986)**2007 & Up Jeep JK Rear Fender  
Liner Kit*

**NOTE: Carefully read entire instructions thoroughly before attempting to install this part.**



Parts Included	QTY	BOM I.D.
BLIND RIVET: 3.2mm Dia. X 7mm	36	1
BLIND RIVET: 4.8mm Dia. X 11mm	10	2
REAR FENDER LINER MESH	2	3
REAR INNER FENDER: Drvr	1	4
REAR INNER FENDER: Pass	1	5
XRC BADGE	2	6

**Tools Required:**

Socket Set

Drill

Drill Bit (4.8mm or #12)

Rivet Gun

**NOTE: Smittybilt is not responsible for any potential problems associated with installation of this kit in conjunction with other manufacturer's products.**

**NOTE: If you are planning on installing rock lights onto the rear inner fender liner, do so prior to installation on the vehicle. It is recommended this task is performed by qualified automotive electrician.**

**For Technical Support/Warranty Information please call 310-762-9944**

## Installation Instructions:

(Part # SB76986)


### 2007 & Up Jeep JK Rear Fender Liner Kit




**Step 1:** Park the vehicle on a flat level surface. Apply the parking brake, block the front tires, and raise the rear of the vehicle. Support the frame with jack stands forward of the rear springs. Remove the rear wheels

**Step 2:** Starting on the driver side of the vehicle, remove the OE rear inner fender liner from the rear wheel well.

**Step 3:** Position the rear inner fender liner in the rear wheel well. After verifying proper rear inner fender liner location, secure in place using C-clamps. (Fig. A)



**Step 4:** Using the rear inner fender liner as a guide, mark the locations of the mounting holes for drilling. (Fig. B-1, B-2, and B-3)





For Technical Support/Warranty Information please call 310-762-9944

## Installation Instructions:

(Part # SB76986)

2007 & Up Jeep JK Rear Fender  
Liner Kit



**Step 5:** Remove the clamps and remove the rear inner fender liner from the wheel well. Center punch and drill out the previously applied marks using a 4.8mm or #12 drill bit.

**NOTE:** Check the surrounding area before drilling to avoid accidental damage to existing components or wiring.

For Technical Support/Warranty Information please call 310-762-9944

# Installation Instructions:

(Part # SB76986)

2007 & Up Jeep JK Rear Fender  
Liner Kit



**Step 6:** Install the rear inner fender liner into the rear wheel well and secure using the supplied (5 per side) 4.8mm blind rivets. (Fig. C-1 and C-2 Drvr & Fig. D-1 and D-2 Pass)




Fig. C-1






Fig. C-2

For Technical Support/Warranty Information please call 310-762-9944

# Installation Instructions:

(Part # SB76986)

2007 & Up Jeep JK Rear Fender  
Liner Kit



For Technical Support/Warranty Information please call 310-762-9944

## Installation Instructions:


(Part # SB76986)

2007 & Up Jeep JK Rear Fender  
Liner Kit



**Step 7:** Repeat steps 3 through 6 on the passenger side of vehicle.

**Step 8:** Installation is now complete. (Fig. E)



### Product cleaning and maintenance instructions

**Stainless Steel Finish** – Aluminum polish may be used to polish small scratches and scuffs on the finish. Mild soap, window or glass cleaner may be used to clean the finish. **Dual state powder coat finish** – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish, you may wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish. **Textured coated finishes** should be cleaned with a mild soap on a damp sponge. Do not apply polish or was that requires to be removed by means of buffing. This type of wax is commonly used at car wash facilities. **Chrome Finish** – Mild soap, window or glass cleaner may be used to clean the finish. In order to protect the finish you should wax your product on a regular basis with pure carnauba automotive wax. Do not use any types of soap, polish or was that contains abrasive that could damage the finish.

For Technical Support/Warranty Information please call 310-762-9944

Revised 5.3.18

## **Installation Instructions:**

*(Part # SB76986)*

*2007 & Up Jeep JK Rear Fender  
Liner Kit*



**For Technical Support/Warranty Information please call 310-762-9944**

---

**Smittybilt, 400 W. Artesia, Compton, CA 90220**



**Installation Instructions:**  
*(Part # SB76986)*  
*2007 & Up Jeep JK Rear Fender*  
*Liner Kit*

**Limited Warranties**

Smittybilt's products are covered under the following limited warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Subject to the duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. All other warranties and representations express or implied, are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card.

Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion.

To assure product quality, Smittybilt reserves the right to change product design, material, specification and finishes without prior notice to customers. This limited warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply as to you. Also, some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Smittybilt reserves the right to discontinue product lines and substitute products, or provide other remedies than those listed in this limited warranty for those discontinued products.

**Warning**

Rollover and other types of vehicle accidents may result in serious injury or death to you, your passengers and others sharing the road. Smittybilt accessories are decorative and are not intended to reduce or avoid injury or damage in the event of an accident. The weight and location of Smittybilt accessories may affect your vehicles' handling, stability and performance, creating an increased risk of accident or rollover. Before installing any accessory, check state laws and assure that the accessory will not obscure any lights or interfere with proper operation on your vehicle's safety equipment. Consult your owner's manual and the Smittybilt instructions, or additional safety information. Smittybilt products, nor the warnings contained herein, are not a substitute for your safe driving. Don't drink and drive, always use seat belts and don't drive faster than conditions permit.

**For Technical Support/Warranty Information please call 310-762-9944**