



MB1106 - Assembly Instructions**Double Triangulated 4 Link Suspension**

Compatible with JT Gladiator w/ 3.6L engine

**ASSEMBLY INSTRUCTIONS**

MB1106


CONTENTS




MB1106

CONTENTS


Continued




MB1106-01
Qty 1




MB1106-02
Qty 1




MB1106-03
Qty 1




MB1106-04
Qty 1




MB1099-42-04
Qty 1




MB1106-07
Qty 1




MB1106-06
Qty 1




MB1106-05
Qty 1



MB1099-42-06
Qty 1




MB1099-42-03
Qty 1



MB1099-42-05
Qty 1



3/8-16 x 1/2" FHS-BO
Qty 8




3/8-16 x 1" FHS-SS
Qty 9




3/8"-16 Nylock Nut G8 YZ
Qty 18




3/8" Flat Washer G8 YZ
Qty 36



3/8-16 x 1" Hex G8 YZ
Qty 18




M10-1.5 Nylock Nut SZ
Qty 4



MB5505-7/16
Qty 4



7/16" Flat Washer G8 YZ
Qty 4



7/16-14 x 1" Hex G8 YZ
Qty 4



Preparation and Installation Guide


Compatibility: This product fits Jeep JT Gladiators with the 3.6L engine and provide superior protection to the underside of your Jeep!

1. Prepare and Inspect: Unbox and inspect all components to ensure everything is included and free of damage.

2. Finishing: For long-term protection, bare metal parts must be painted or powder coated before installation to prevent rust or corrosion.


Pro Tip: Use STEEL-IT paint, which can be welded through and easily touched up afterward.

MB1106 - Assembly Instructions




REMOVE THE TRANSFER CASE SKID AND THE FRONT TUBULAR CROSSMEMBER.
DO NOT REMOVE THE TRANSMISSION CROSSMEMBER.

SAVE FACTORY HARDWARE TO INSTALL MB1106 SKID PLATE.




MB1106 - Assembly Instructions




MB1106 IS DESIGNED TO FIT OVER YOUR EXISTING GAS TANK SKID PLATE
HOWEVER MINOR TRIMMING IS REQUIRED.

CUT APPROXIMATELY 1/2 INCH OF MATERIAL
OFF TO CLEAR NEW SKID PLATE




MB1106 - Assembly Instructions




INSTALL MB1099-W01 USING FACTORY HARDWARE


MB1106 - Assembly Instructions




MB1106 - Assembly Instructions



MB1106 - Assembly Instructions



MB1106 - Assembly Instructions



NOTE: JEEP JT GLADIATOR FRAMES ARE MANUFACTURED IN VARIOUS CONFIGURATIONS TO ACCOMMODATE OPTIONAL EQUIPMENT. THE DIAGRAM SHOWS 5 LOCATIONS WHERE SOME MODELS MAY OR MAY NOT HAVE THREADED HOLES, DEPENDING ON THE FACTORY CONFIGURATION. MB1106 CONTAINS 4 THREADED WELD NUTS THAT CAN BE INSTALLED IF YOUR VEHICLE IS MISSING THREADS IN ANY OF THE INDICATED LOCATIONS.

TO INSTALL WELD NUTS:

1. LOOSELY ASSEMBLE MB1106-W01 WITH THE SUPPORT BRACKETS SHOWN.
2. BOLT MB1106-W01 TO MB1099-W01 AND TO ANY LOCATIONS ON THE FRAME THAT ARE ALREADY THREADED.
3. MARK LOCATIONS WHERE THREADS ARE MISSING USING THE SUPPORT BRACKETS AND MB1106-W01 AS A GUIDE.
4. REMOVE MB1106-W01 AND DRILL MARKED LOCATIONS TO A 3/4" HOLE.
5. INSERT WELD NUTS INTO FRAME AND TACK WELD INTO PLACE.
6. REINSTALL MB1106-W01 TO CONFIRM CORRECT FIT BEFORE COMPLETELY WELDING NUTS IN PLACE.
7. COMPLETE THE FINAL INSTALL OF MB1106-W01 AS SHOWN IN THE FOLLOWING PAGES

MB1106 - Assembly Instructions

INSTALL USING FACTORY HARDWARE OR 7/16" HARDWARE PROVIDED DEPENDING UPON YOUR CONFIGURATION

MB1106-04

MB1106-03

MB1106-02


MB1106-01

MB1106 - Assembly Instructions


INSTALL EXHAUST SKID USING PROVIDED
3/8" HARDWARE AND FACTORY HARDWARE

MB1106-W01

MB1106 - Assembly Instructions



MB1106 - Assembly Instructions



LEGAL DISCLAIMER

Motobilt, Inc. products are designed and manufactured primarily for **OFF-ROAD USE ONLY**. They are not certified or approved for street or highway use and may not comply with vehicle safety standards or regulations. Vehicle modifications, including the installation of Motobilt, Inc. products, may alter the handling, performance, and durability of a vehicle.

By purchasing, installing, or using any Motobilt, Inc. product, the purchaser and installer expressly acknowledge and agree to the following terms:

1. ASSUMPTION OF RISK

The purchaser and installer understand and accept that the installation and use of aftermarket products involve inherent risks, including but not limited to vehicle damage, property damage, serious injury, or death. All such risks are voluntarily assumed.

2. NO WARRANTY OF SAFETY

Motobilt, Inc. makes no representations, warranties, or guarantees, express or implied, regarding the safety, performance, or structural integrity of its products. Motobilt, Inc. products are not intended to prevent injury or death in the event of an accident, rollover, or collision.

3. INSTALLATION RESPONSIBILITY

Some Motobilt products require advanced fabrication, cutting, or welding skills. Others may require specialized tools or mechanical knowledge. Motobilt, Inc. is not responsible for improper installation, modification, or misuse of its products. Professional installation by a qualified individual is strongly recommended.

4. COMPLIANCE WITH LAWS AND REGULATIONS

The purchaser and installer are solely responsible for ensuring that the vehicle and installed products comply with all applicable local, state, and federal laws and safety regulations. Vehicle modifications may void factory warranties and may render the vehicle illegal for use on public roads.

5. MAINTENANCE AND INSPECTION

All products should be inspected regularly for signs of wear, fatigue, or damage. Continued use of damaged or improperly installed equipment increases the risk of failure and potential injury. The responsibility for inspection and maintenance rests solely with the owner and operator.

6. WARRANTY DISCLAIMER

Unless expressly stated in a written limited warranty issued by Motobilt, Inc. for a specific product, all Motobilt, Inc. products are sold "as is" and without express warranties of any kind. If a written limited warranty applies, its terms are exclusive and govern the extent of Motobilt, Inc. obligations.

To the fullest extent permitted by law, Motobilt, Inc. expressly disclaims all implied warranties, including but not limited to implied warranties of merchantability, fitness for a particular purpose, and non-infringement. No oral or written statement by Motobilt, Inc., its employees, dealers, or representatives shall constitute or create any warranty, obligation, or liability beyond what is contained in official written documentation issued by Motobilt, Inc.

7. LIMITATION OF LIABILITY

To the fullest extent permitted by law, Motobilt, Inc. disclaims all liability for any direct, indirect, incidental, consequential, or punitive damages arising out of the purchase, installation, or use of its products. This includes, but is not limited to, claims for property damage, personal injury, loss of use, or loss of income.

8. USER ACKNOWLEDGMENT

By purchasing, installing, or using Motobilt, Inc. products, the purchaser and installer acknowledge that they have read, understood, and accepted the terms of this disclaimer and voluntarily assume all associated risks.