

Installation Instructions

Soft Top Window Storage Bag for Jeep® Wrangler JL Items #13100624 & #13100601



Parts List: Window Storage Bag - QTY 1

NOTICE ON WINDOW STORAGE BAG WIDTH:



Required Tools: Safety Glasses

As shown in the pictures above, the width of the storage bag is larger than the width of the rear of your 4 door JL Wrangler. The ends of the bag will fold forward when the bag is secured. This is normal. For Two door JL Wranglers, the space between the roll bars is narrower (42") than the four door models (44") and this "folding forward" is much greater. As the bag width of 55" is determined by the size of the windows, we do not recommend storing your storage bag behind the seat of two door JL Wranglers. If your 2 door JL Wrangler has a factory Sub-woofer, the bag WILL NOT fit behind the seat at all.


 Loss of vehicle control involves risk of death or serious injury, particularly to parts of your body not restrained within vehicle. This product is intended for weather protection only and should not be relied upon to contain occupants in the event of an accident or to protect from either ground contact or falling objects. To reduce risk of accident or injury:

 ALWAYS WEAR SEATBELTS
 Always keep head, arms & body parts within vehicle.
 Fully secure or stow the soft top and/or window protection roll before driving according to instructions. Never try to latch or fold soft top while driving. Do not use if damaged or worn.
 Read and follow all instructions & warnings accompanying this product, in your vehicle owner's manual and Off Road Driving Supplement.

RISK OF EYE INJURY. Safety glasses should be worn at all times while installing or maintaining this product.

Important Safety information

Your MasterTop[®] Window Storage Bag is intended to store and protect your soft top PVC windows from being damaged. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:



Before you begin Installation:

We are excited that you have chosen the MasterTop Soft top window Storage Bag! This high-quality storage solution is designed to provide storage and protection of your soft top windows when they have been removed. Please note that it is important that you become familiar with the installation process by reading the following instruction sheet and warnings thoroughly. Though we have used only the finest materials in creating this storage bag, any product that is exposed to the elements requires some general maintenance to keep it looking like new. Please see page 3 for these important maintenance tips. Please also note that it is normal for fabric to contract and wrinkle when stored in the shipping carton. In a few days the fabric will relax and wrinkles will disappear.

When unpacking, check to make sure all parts are included. If any part is missing or broken, please call MasterTop customer service at 720-575-5440.


Installation and use of Soft Top Window Storage Bag:



Threading Straps through Clips:

Throughout the installation, you will need to thread webbing straps through a clip. Please review the picture above for correct strap routing through the clip. As a rule of thumb, run the strap below and through the sewn side of the clip first and then back down through the end of the clip. Tighten the strap by simply pulling the exposed webbing after threading the strap through the clip.





Step 1:

Put on safety glasses. Zip open Window storage bag. Carefully remove your soft top rear quarter and rear windows from your top fabric. Lay the Window Roll down on a dry ground with the bag completely open (See Fig 1). Start with the Driver side quarter window placing it carefully under the felt flaps against the back side of the bag. The Plastic molded support should fit inside the "pocket" on the end of the bag as shown in Fig 2. Lay down a layer of felt and repeat this procedure with the passenger side window putting the plastic support on the opposite side of the bag.



Step 2:

Lay down a layer of felt on top of the quarter window just placed in the bag and then place the rear window in the bag on top of the felt. Zip up the storage bag.



Installation Instructions 3



Step 3: Installing your storage bag to the rear seat of your vehicle. The MasterTop Window storage bag is designed to fit behind the rear seat of your JL Wrangler. With the windows secure in the storage bag, you are now able to secure your stored windows behind the seat of your Jeep as shown as shown in Figs 4 & 5.

Place the Bag with the handle and two sets of top straps facing up in the rear of your vehicle and wrap the top straps around the base of the rear head rests. Secure the straps with the clips. Tighten the straps to keep the bag from flapping (Figs 6 & 7).

Care and Maintenance of your MasterTop® Window Storage Bag:

Your MasterTop Window Storage Bag is made of the finest materials available but to keep it looking new and for the maximum possible wear, it will need periodic cleaning and basic maintenance. The main threat to your soft top and this bag is pollutants, dirt and grime. By keeping your storage bag clean you will prolong the life of your product. We recommend the following to keep your top like new:

Washing:

The cover fabric should be washed often using a mild soap, warm water and a soft bristle brush. You can also use special soft top cleaners available on our Distributors websites. Make sure that after cleaning you rinse with clear water to remove all traces of soap to avoid residue. Air Dry. Do not put in dryer.

Water/Fabric:

Rips in the fabric may be repaired with Bondex[®] iron on patches. Iron the patches to the Inside of the top, carefully following the Bondex[®] instructions.

For more information on MasterTop:

This and other helpful product information is available on **www.mastertop.com** Please visit our website frequently for product updates and exciting news.







Your MasterTop[®] accessory is covered by the following Limited Warranty provided exclusively by MasterTop, Inc., 420 J Corporate Circle, Golden, CO 80401.

This Limited Warranty is the only warranty made in connection with your purchase. MasterTop neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by any MasterTop distributor for which the Manufacturer provides a separate written warranty.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to MasterTop branded accessories first sold in the United States, MasterTop warrants to the initial retail purchaser only that your MasterTop accessory shall be free of defects in material and workmanship; for a period of 3 years from date of initial retail sale.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is **limited to 3 years from date of initial retail sale**. MasterTop reserves the rights to: (a.) require invoice or other proof your product is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.

What is Not Covered: Your MasterTop Limited Warranty does not cover products or parts MasterTop determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, failure to maintain or attempted repair or service by anyone not authorized by MasterTop, (b.) normal wear and tear, cosmetic damage or damage from water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage, (e.) fleet, rental or commercial use, (f.) use in competition or racing.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon MasterTop inspection and at MasterTop's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration on MasterTop Products should first contact MasterTop to obtain a RGA number (720-575-5440). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages

- Your Rights Under State Law:

In consideration of the purchase price paid, neither MasterTop nor any independent MasterTop distributor /licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This Limited Warranty gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©MasterTop, Inc. 2019. All Rights Reserved. The term MasterTop[®] is a Registered Trademark of MasterTop Incorporated, Registered in U.S. Patent and Trademark Office.

www.MasterTop.com

Part #941036.01 Version 10.24.19 LTR

