



Installation Instructions

Tonneau Cargo Cover for 1987-1995 Jeep® YJ Wrangler Vehicles Item #14504135

**Parts List:**

Fabric Tonneau Cargo Cover - QTY 1

Required Tools:

Safety Glasses



Side and Corner
bolt-on Belt Rails



Tailgate Bar
and Clips

Required Parts (Not included with the Tonneau kit):

This product is designed to fit your 92-95 YJ Wrangler with the Soft top hardware removed. If you have a Hard top or you are missing the parts above, you will need to purchase the following parts from your MasterTop Distributor.

⚠ WARNING ⚠

Loss of vehicle control involves risk of death or serious injury, particularly to parts of your body not restrained within vehicle. This product is intended for weather protection only and should not be relied upon to contain occupants in the event of an accident or to protect from either ground contact or falling objects. To reduce risk of accident or injury:

- ALWAYS WEAR SEATBELTS
- Always keep head, arms & body parts within vehicle.
- Fully secure or stow the soft top before driving according to instructions. Never try to latch or fold soft top while driving. Do not use if damaged or worn.
- Read and follow all instructions & warnings accompanying this product, in your vehicle owner's manual and Off Road Driving Supplement.

⚠ CAUTION ⚠

RISK OF EYE INJURY. Safety glasses should be worn at all times while installing or maintaining this product.



Important Safety information

Your MasterTop® Tonneau Cover is intended to be used with other MasterTop Products to increase the fair weather enjoyment of your off-road capable vehicle. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:

⚠ WARNING ⚠

A hazardous situation which, if not avoided, could result in death or serious injury. You CAN be KILLED or SERIOUSLY HURT if you don't follow instructions.

⚠ CAUTION ⚠

A hazardous situation which, if not avoided, could result in minor or moderate injury. You CAN be moderately HURT and also may suffer property damage if you don't follow instructions.

NOTICE

Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your MasterTop product or other property may result if you don't follow instructions.

Before you begin Installation:

We are excited that you have chosen the MasterTop Tonneau Cargo Cover! This high quality cargo cover is designed to enhance your fair weather driving pleasure while providing some cargo protection. Please note that it is important that you become familiar with the installation process of this cover by reading the following instruction sheet and warnings thoroughly. Though we have used only the finest materials in creating this cover, any product that is exposed to the elements requires some general maintenance to keep it looking like new. Please see page 6 for these important maintenance tips. Please also note that it is normal for fabric to contract and wrinkle when stored in the shipping carton. In a few days the fabric will relax and wrinkles will disappear.


NOTICE

For a smooth fit and ease of installation, this product should be installed at temperatures above 72 degrees. Below this temperature, the fabric may contract an inch or more making it difficult to install. We highly recommend taking the Tonneau Cover out of the package and letting it sit inside a warm place or direct sunlight for 1-2 hours before you install the top. When warm, this top will install quickly.

When unpacking, check to make sure all parts are included.

If any part is missing or broken, please call MasterTop customer service at 720-575-5440.

Pre-Installation of Tonneau Cover:




Threading Straps through Buckles:

Throughout the installation, you will need to thread webbing straps through buckles several times. Please review the picture for correct strap routing through the buckles. As a rule of thumb, run the strap below and through the sewn side of the buckle first and then back down through the end of the buckle. Tighten the strap by simply pulling the exposed webbing after threading the strap through the buckle.



MasterTop Tonneau / Wind Stopper / Bimini Combo Concept:

The Tonneau Cargo Cover is a great way to cover your Wrangler rear seat/cargo area while driving without your soft top. This is ideally designed to be used in combination with our Bimini Top/Bimini Top Plus and the MasterTop Wind Stopper curtain to create the ultimate summer cab top combo.



Please note that this product combination is **NOT** designed as a weather resistant substitute for a soft top.



NOTICE

The Factory Tailgate Bar is a Required Part needed for installation. The MasterTop Tonneau Cargo Covers covered in this instruction sheet are designed to be installed on vehicles equipped with a factory tailgate bar found on all soft top models. If you do not have this tailgate bar please contact your MasterTop Distributor where you will be able to easily purchase the necessary Tailgate Bar.

NOTICE

This product is designed to be used in conjunction with an optional MasterTop Wind Stopper rear wind shade. Each Tonneau cover has a built-in zipper on the front edge where this Wind Stopper can be attached. If you choose not to use the Wind Stopper, the zipper portion will not be required and will remain attached to the front edge of your Tonneau.

Pre-Installation of Tonneau Cover: 87-95 YJ Wrangler Vehicles

NOTICE

On 1987-1995 Wranglers this product is designed to fit on the vehicle with all soft top fabric, bows & windows removed. This Tonneau will not fit over folded soft top hardware that has fabric still attached to it.



Step 1: Remove Hardware Stack

Put on Safety Glasses. Un-zip and remove your rear quarter window, rear window and remove all soft top fabric from your bows. Carefully store your soft top. When finished removing the soft top fabric, your Soft Top hardware should rest on the top of the body tub as shown in FIG 1. Locate the rear tailgate bar and set it aside for future use to install your Tonneau Cover. Carefully slide your soft top hardware towards the rear of the vehicle removing it completely from the vehicle.

Note: you may have to remove the set pin shown in Fig 2 to remove your hardware.



Step 2: Optional: For use with MasterTop Wind Stopper Curtain

Secure the MasterTop Tonneau Cover to the MasterTop Wind Stopper. If you are not using the Wind Stopper, skip to step 3.

If you are using the already installed MasterTop Wind Stopper with your Tonneau cover, simply line up the zipper on the Wind Stopper flap with the Tonneau cover zipper and zip closed. The two products should now be attached. See FIG 3

NOTICE

Only MasterTop Brand Tonneau Covers and Wind Stoppers can be attached with the installed zippers. Other brands either do not use zipper attachments or use different styles of zippers.

NOTICE

The remaining Installation procedure is shown on a TJ Wrangler, however the installation process is the same on YJ and TJ generation Wrangler vehicles.



Installation of Tonneau Cover: Wrangler Vehicles



Step 3: Secure Front Sport Bar Straps

Wrap the straps on the front edge of the Tonneau Cover around the center roll bar.

On each side of the vehicle loosely thread the ends through the buckles, but do not tighten at this time. See FIG 4.



Step 4: Secure Plastic Belt Rail Strips

Secure Plastic belt rail strips to side of vehicle. Roll the Plastic strip on each side of the Tonneau cover into the belt rail retainer channel on the vehicle.

Repeat this on both sides of the Tonneau. See Figs 5 & 6.



Step 5: Install Factory Tailgate Bar

Open the rear tailgate. From the rear of the vehicle hold the Tonneau Cover with the backing side lifted towards you. Slide the installed tubing on the Tonneau cover into the channel on the tailgate retainer and install the tailgate retainer with a rolling motion into the tailgate mounts on each side of your tailgate See FIGS 7 & 8.



Installation of Tonneau Cover: Wrangler Vehicles



Step 6: Secure the Rear Corners

Roll the plastic strips on the rear corners of the Tonneau cover into the belt rail retainer channel on the vehicle. After installation, adjust the corners by sliding them left or right until they are centered on the corner of the vehicle. See FIG 9.



There are loops installed on your Tonneau cover to help adjust the Tonneau and to aid in removing it from the vehicle. See Fig 10.



Step 7: Wrap the Rear Collars

Wrap the two collars around the sport bar and fasten the hook and loop strips to each other. See Fig 11.

This should complete the installation of your new MasterTop Tonneau Cargo Cover!

NOTICE

The MasterTop Tonneau Cover is designed to protect the inside of your vehicle against light showers and to keep wandering eyes from your cargo. It is not a waterproof cover.

Water may leak inside your vehicle through the sport bar collars and exposed seams during heavy down pours. If water pools on your Tonneau cover, be sure to push the water off before you drive the vehicle. Failure to do so could cause the water to flow forward into the cab of the vehicle when you come to a stop.



Care and Maintenance of your MasterTop Tonneau Cover:

Your MasterTop Tonneau Cover is made of the finest materials available but to keep it looking new and for the maximum possible wear, it will need periodic cleaning and basic maintenance. The main threat to your Tonneau is pollutants, dirt and grime. By keeping your soft top clean you will prolong the life of your top.


We recommend the following to keep your cover like new:

Washing:

The curtain fabric should be washed often using a mild soap, warm water and a soft bristle brush. You can also use special soft top cleaners available on our Distributors websites. Make sure that after cleaning you rinse with clear water to remove all traces of soap to avoid residue. Air Dry. Do not put in dryer.

Water/Fabric:

In the event of seeping through the seams, 3M Scotchgard® may be applied on the inside of the seams to stop the seeping. Rips in the fabric may be repaired with Bondex® iron on patches. Iron the patches to the Inside of the top, carefully following the Bondex® instructions.



Zippers:

Keeping the zipper cleaned and lubricated with a silicone lubricant (available online) will help prevent damage and keep the zippers in a smooth working condition. If zipper opens behind the slider, the slider may have been spread apart. This problem can usually be fixed by using an ordinary pair of pliers to bring the sides back into parallel. Return slider to the end of the zipper in the normal Open position. Squeeze lightly at first and test zipper. If the zipper continues to remain open squeeze more firmly with pliers and try the zipper again. Repeat procedure until your zipper operates correctly.

For more information on MasterTop:

This and other helpful product information is available on www.mastertop.com

Please visit our website frequently for product updates and exciting news.



*Bimini Plus, Wind Stopper
and Tonneau Combination
shown*



*Bimini Top, Wind Stopper
and Tonneau Combination
shown for early YJ roll bar
shown*





Limited 3 Year Warranty

Your MasterTop® accessory is covered by the following Limited Warranty provided exclusively by MasterTop, Inc., 420 J Corporate Circle, Golden, CO 80401.

This Limited Warranty is the only warranty made in connection with your purchase. MasterTop neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by any MasterTop distributor for which the Manufacturer provides a separate written warranty.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to MasterTop branded accessories first sold in the United States, MasterTop warrants to the initial retail purchaser only that your MasterTop accessory shall be free of defects in material and workmanship; **for a period of 3 years from date of initial retail sale.**

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is **limited to 3 years from date of initial retail sale.** MasterTop reserves the rights to: (a.) require invoice or other proof your product is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.

What is Not Covered: Your MasterTop Limited Warranty does not cover products or parts MasterTop determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, failure to maintain or attempted repair or service by anyone not authorized by MasterTop, (b.) normal wear and tear, cosmetic damage or damage from water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage, (e.) fleet, rental or commercial use, (f.) use in competition or racing.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon MasterTop inspection and at MasterTop's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration on MasterTop Products should first contact MasterTop to obtain a RGA number (720-575-5440). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages

- Your Rights Under State Law:

In consideration of the purchase price paid, neither MasterTop nor any independent MasterTop distributor /licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This Limited Warranty gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and/or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©MasterTop, Inc. 2019. All Rights Reserved. The term MasterTop® is a Registered Trademark of MasterTop Incorporated, Registered in U.S. Patent and Trademark Office.

www.MasterTop.com

Part #941034.01 Version 11.8.19 LTR

