#### **PRODUCT INFORMATION**

**Description** 12V DOT LED High & Low Beam

Headlights with Carbon Fiber Bezel - 2

Light Kit

 Height
 176.53 mm / 6.95 in

 Width
 176.53 mm / 6.95 in

 Depth
 99.82 mm / 3.93 in

**Shape** Round

Outer Lens Material Polycarbonate

Outer Lens Color Clear

**Housing Material** Die-Cast Aluminum

Housing Color Gray

**Bezel Color** Black Carbon Fiber

**Retrofits** 7" round headlights or 2D1 PAR56

65 °C / 149 °F

 $\textbf{Minimum Operating} \qquad -40~^{\circ}\text{C}~/~-40~^{\circ}\text{F}$ 

Temperature

Maximum Operating


**Temperature** 


Connector or WiringH13 Delphi 15326813Product Weight2.31 lbs / 1.05 kgs





#### **PRODUCT DIMENSIONS**





### **ELECTRICAL SPECIFICATIONS**

Input Voltage12V DCOperating Voltage9-16V DC

**Transient Spike Protection** 150V Peak @ 1 HZ-100 Pulses

Black WireGroundWhite WireHigh BeamYellow WireLow Beam

**Current Draw** 4.20A @ 12V DC (High Beam) 2.00A @ 12V DC (Low Beam)

### REGULATORY STANDARDS COMPLIANCE









Buy America Standards FMVSS 108 Table XIX IEC IP67

Eco Friendly FMVSS 108 Table XVIII



### PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 3,200 (High Beam); 1,770 (Low

Beam)

Effective Lumen

Output

1,260 (High Beam); 750 (Low Beam)

**Candela Output** 

71,500 (High Beam); 35,003 (Low

Beam 5000 K


**Nominal LED Color** 


**Temperature** 

**Beam Pattern(s)** Forward Lighting - High Beam

(DOT)

Forward Lighting - Low Beam (DOT)





### **APPLICATIONS**





### **RELATED PRODUCTS**



Part Number 0554543 12V DOT LED High & Low Beam Headlights with Black Bezel - 2 Light Kit