

Quadratec® Inner Fender Grit Guard

Installation Manual: for '07-'18 Wrangler JK

! WARNING !

TO REDUCE RISK OF SERIOUS INJURY OR PROPERTY DAMAGE: READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS AND PROCEDURE NOTICES BEFORE ATTEMPTING TO INSTALL OR USE THIS PRODUCT.

! WARNING !

RISK OF EYE INJURY! SAFETY GLASSES MUST BE WORN AT ALL TIMES WHILE INSTALLING OR MAINTAINING THIS PRODUCT. TORQUE AND RECHECK FASTENERS AFTER 250 MILES AND FREQUENTLY THEREAFTER. DO NOT USE IF DAMAGED.

NOTICE

SLIGHT MODIFICATION INCLUDING CUTTING AND DRILLING IS REQUIRED TO COMPLETE THIS INSTALLATION.

A FEW WORDS ABOUT PRODUCT SAFETY:

Your Quadratec Inner Fender Grit Guard is intended to enhance the appearance and enjoyment of your off road capable vehicle. Follow safety information and installation recommendations. Throughout these instructions is important safety information that is generally preceded by one of three signal words indicating the relative risk of injury, property damage or adverse consequence.

The signal words mean:

! WARNING !

A HAZARDOUS SITUATION WHICH, IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. YOU CAN BE KILLED OR SERIOUSLY HURT IF YOU DON'T FOLLOW INSTRUCTIONS.

! CAUTION !

A HAZARDOUS SITUATION WHICH, IF NOT AVOIDED, COULD RESULT IN A MINOR OR MODERATE INJURY. YOU CAN BE MODERATELY HURT AND ALSO MAY SUFFER PROPERTY DAMAGE IF YOU DON'T FOLLOW INSTRUCTIONS.

NOTICE

CAREFUL ATTENTION IS REQUIRED TO THIS INSTRUCTION OR OPERATION BUT DOES GENERALLY NOT RELATE TO PERSONAL INJURY. DAMAGE TO YOUR QUADRATEC® PRODUCT OR OTHER PROPERTY MAY RESULT IF YOU DON'T FOLLOW INSTRUCTIONS.

BEFORE YOU BEGIN INSTALLATION:

Congratulations on your purchase of Quadratec® Inner Fender Grit Guard for your Jeep® Wrangler. This custom fit liner has been designed for use with the Quadratec® Inner Fender Liner to give a great custom look and protect the inner wheel well. When unpacking, check to make sure all parts are included and not damaged due to shipping. If any part is missing or broken, please call Customer Service at 800-745-6037 as soon as possible. Thank you again for your purchase and let's start the installation process.

! WARNING !

ALWAYS USE EXTREME CAUTION WHEN DRILLING OR CUTTING ON A VEHICLE OR PARTS. THOROUGHLY INSPECT THE AREA TO BE DRILLED OR CUT, ON BOTH SIDES OF MATERIAL, PRIOR TO MODIFICATION AND RELOCATE ANY OBJECTS THAT COULD BECOME DAMAGED.

! CAUTION !

READ ALL SAFETY MESSAGES AND ALWAYS WEAR SAFETY GLASSES WHEN WORKING WITH TOOLS.


NOTICE

CHECK THE SURROUNDING AREA BEFORE DRILLING TO AVOID ACCIDENTAL DAMAGE TO EXISTING COMPONENTS OR WIRING.

Quadratec

STEP 1

FIG 1



Put on safety glasses. Layout both of the of the guards to determine correct placement. The tabs should point toward the front of the vehicle. Shown in (Fig 1) is the passenger side. Align the guard so that it appears in this position. Using a marker, mark the holes for drilling. Remove the guard. Use a center punch to make a dimple to start the drilling process.

STEP 2

FIG 2




FIG 3



Start with a smaller drill bit than needed, to drill two pilot holes. Use the full-size 3/8" bit to open the top hole to the correct size for the Rivet Nut (Fig 2). (This can be done with a step bit, as well). Using a Rivet Nut tool, insert a Rivet Nut fully into the top hole. (Fig 3) Using a 1/4" drill bit, drill the bottom hole.

STEP 3

FIG 4



Place the guard in place and attach using a button head bolt through washer and nylock nut through the bottom hole. Using the hex head wrench and wrench, tighten bolt to hand tight. Do not fully tighten at this time. (Fig 4)

STEP 4

FIG 5



FIG 6



Making sure the guard is behind the inner liner, line up the holes for the liner and guard with the Rivet Nut that was installed in Step 2. Insert a button head bolt into the Rivet Nut and begin threading. (Fig 5) Using a hex wrench, tight bolt until fully snug. (Fig 6) Do not over tighten as the Rivet nut may spin. Fully tighten the lower bolt and nut at this time. Repeat all steps for the driver's side.

Quadratec® Exclusive Three Year Limited Warranty

Your Quadratec® branded accessories are covered by the following Limited Warranty provided exclusively by Quadratec, Inc., 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. Quadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by Quadratec for which the Manufacturer provides a separate written warranty.

What is Covered:

Subject to the terms, exclusions and limitations herein and with respect only to Quadratec branded accessories first sold in the United States, Quadratec warrants to the initial retail purchaser only that your Quadratec accessory shall be free of defects in material and workmanship: for a period of three (3) years from date of retail purchase.

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the Quadratec accessory is installed or other transfer to third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to three (3) years from date of initial retail sale. Quadratec reserves the rights to: (a.) **require invoice or other proof your accessory is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.**

What is Not Covered:

Your Quadratec Limited Warranty does not cover products or parts Quadratec determines to have been damaged by or subjected to: (a.) **installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.**

Remedy Limited to Repair/Replacement:

The exclusive remedy provided hereunder shall, upon Quadratec inspection and at our option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages - Your Rights Under State Law:

In consideration of the purchase price paid, neither Quadratec nor any independent Quadratec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©Quadratec, Inc. 2022. All Rights Reserved.
A4 Version 6/6/22

Instructions Part #12999.3266

Quadratec