

# TACTIK® 3 Layer Full Door Cab Cover

Installation & Use Instructions  
18'-Current (JL, JLU & JT) Wrangler

## ⚠️ WARNING ⚠️

NEVER OPERATE YOUR VEHICLE WITH THIS PRODUCT INSTALLED. NEVER INSTALL THIS PRODUCT WHILE THE ENGINE IS RUNNING. BEFORE INSTALLING THIS PRODUCT, PUT THE VEHICLE IN PARK AND SET THE EMERGENCY BRAKE. THIS PRODUCT SHOULD NEVER BE USED TO COVER YOUR VEHICLE WHILE IS IN TOW.

## ⚠️ CAUTION ⚠️

RISK OF EYE INJURY. SAFETY GLASSES SHOULD BE WORN AT ALL TIMES WHILE INSTALLING OR MAINTAINING THIS



for 18'Current JL Wrangler 2Dr



for '18-Curr JLU Wrangler 4Dr



for '18-Curr JT Wrangler 4-Door

## PARTS LIST

Fabric 3 Layer Full Door Cab Cover QTY 1

## REQUIRED TOOLS

Safety Glasses

## Important Safety information

Your 3 Layer Full Door Cab Cover is intended to sun and light shower protection of your off-road capable vehicle. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally preceded by one of three signal words indicating the relative risk of injury. The signal words mean:

### ⚠️ WARNING ⚠️

A hazardous situation which, if not avoided, could result in death or serious injury. You CAN be KILLED or SERIOUSLY HURT if you don't follow instructions.

### ⚠️ CAUTION ⚠️

A hazardous situation which, if not avoided, could result in minor or moderate injury. You CAN be moderately HURT and also may suffer property damage if you don't follow instructions.

### NOTICE

Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your Tactik® product or other property may result if you don't follow instructions.

## Before you begin Installation:

We are excited that you have chosen the Full Door Cab Cover! This high quality Cab Cover is designed to provide sun and light shower protection. Please note that it is important that you become familiar with the installation process of this top by reading the following instruction sheet and warnings thoroughly. Though we have used only the finest materials in creating this cover, any product that is exposed to the elements requires some general maintenance to keep it looking like new. Please note that it is normal for fabric to contract and wrinkle when stored in the shipping carton. In a few days the fabric will relax and wrinkles will disappear.

### NOTICE

The material used on this product is a breathable water resistant fabric that will protect your vehicle from light showers and debris. During strong storms with wind and heavy rain, water can seep into the vehicle through the seams. This cover is NOT completely waterproof.

# TACTIK®

## 18'-Current JL, JLU & JT Cab Cover Installation

### Pre-Installation of Full Door Cab Covers



#### Threading Straps through Buckles:

Throughout the installation, you will need to thread webbing straps through buckles several times. Please review the picture for correct strap routing through the buckles. As a rule of thumb, run the strap below and through the sewn side of the buckle first and then back down through the end of the buckle. Tighten the strap by simply pulling the exposed webbing after threading the strap through the buckle.

### NOTICE

This product has been designed to fit Jeep vehicles that have the soft top/hard top removed. This product will work with a Bimini Top, Bimini Top Plus or all MasterTop Sun Block Mesh Summer Soft Tops installed on the vehicle.

FIG 1



### STEP 1

Put on safety glasses. Place the Cab Cover material on the vehicle. Orient the Cab cover on the vehicle with the door side panels facing down on the side of the vehicle (adjustable straps/buckle are on the side of the cover) and Tactik Badge facing the rear of the vehicle.

FIG 2



FIG 3



### STEP 2

Locate and Hook Side Straps. Once the cover is placed on the vehicle, locate the side straps below the door(s). Pull the rear two straps down and hook each strap to the bottom of the vehicles pinch weld and tighten slightly to keep them hooked (Figs 2 & 3). Locate the front strap and attach it under the front fender flare as shown in FIG 3 and slightly tighten to keep it hooked. Repeat this procedure on the other side of the vehicle. Once all of the straps are secure, tighten each strap to secure the cover on the vehicle.

### NOTICE

On models with factory plastic side steps, the side straps should fit over the steps and not between the vehicle body and the side steps.

**TACTIK**<sup>®</sup>

## 18'-Current JL, JLU & JT Cab Cover Installation



### STEP 3

For JL and JLU Models: Install side/corner Belt Rail Strips onto vehicle. There are small plastic strips sewn onto the side of the Cab Cover Slip these strips with a slight rolling motion into the factory belt rail on the vehicle. See FIG 4. For Gladiator models, there is a belt rail strip at the rear of the cover that installs behind the back seats that is installed using the same technique. It attaches to the factory belt rail on the front of the bed (FIG 4a).

**For JL and JLU applications proceed to Step 4.**

**For Gladiator applications, please proceed to Step 5.**



### STEP 4

Locate the long adjustable buckle straps on the rear of the cover. Pull the strap down and around the rear tire carrier as shown in FIG 5. FIG 5 shows the strap with the rear tire removed for reference only. There is no need to remove your spare tire for installation. Attach the quick release tab at the end of the long strap to the buckle located on the cab cover. (FIGs 6 & 7). Tighten strap securing the rear of the cab cover around the tire cover mount. This will pull the cab cover tight to avoid water "pooling" on the cover.



### STEP 5

Reposition Wipers. Once all straps are secure, tuck the cover under your front windshield wipers (Fig 8).

**Your JL, JLU & JT Cab Cover is now installed!**

# TACTIK®

# TACTIK® Exclusive One Year Limited Warranty

Your TACTIK® branded accessories are covered by the following Limited Warranty provided exclusively by TACTIK® located at 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. TACTIK® neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to TACTIK® branded accessories first sold in the United States, TACTIK® warrants to the initial retail purchaser only that your TACTIK® accessory shall be free of defects in material and workmanship: **for a period of one (1) year from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the TACTIK® accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 1 year from date of initial retail sale. TACTIK® reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

**Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon TACTIK® inspection and at TACTIK's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty.** Customers requesting warranty consideration should first contact TACTIK® to obtain a RGA number via tele- phone at 800-603-4064, or initiate customer service by email at: [customerservice@tactik4x4.com](mailto:customerservice@tactik4x4.com) . All labor, removal, ship- ping and installation costs are customer's responsibility.

#### **Other Limitations - Exclusion of Damages- Your Rights Under State Law:**

In consideration of the purchase price paid, neither TACTIK® nor any independent TACTIK® distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/ replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclu- sion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you..

©TACTIK® 2022 All Rights Reserved. LTR Version

**TACTIK®**