

## ! WARNING !


TO REDUCE RISK OF SERIOUS INJURY OR PROPERTY DAMAGE: READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS AND PROCEDURE NOTICES BEFORE ATTEMPTING TO INSTALL OR USE THIS PRODUCT.

## ! CAUTION !

RISK OF EYE INJURY! SAFETY GLASSES MUST BE WORN AT ALL TIMES WHILE INSTALLING OR MAINTAINING THIS PRODUCT. DO NOT USE IF DAMAGED.

## ! CAUTION !

HOOD CATCH IS INTENDED AS A SUPPLEMENT TO THE FACTORY LATCH AT THE FRONT OF THE HOOD. ALWAYS SECURE CATCH WITH SAFETY SNAP FULLY ENGAGED.




## PARTS LIST

Latch (2)  
Latch Arm (2)  
Hood Catch (2)  
Hood Mount Isolator Pad (2)  
Fender Mount Bracket (2)  
Fender Mount Isolator Pad (2)  
M6 1.0 x 2cm Bolt (4)  
M8 1.25 x 2cm Bolt (2)  
10mm Nylock Nut (4)  
13mm Nylock Nut (2)  
Hex Binding Barrel and Screw (3)  
Safety Snap (2)

## REQUIRED TOOLS

Safety Glasses  
10mm Socket  
13mm Socket  
Ratchet with extension  
5mm Hex Wrench (2)  
4mm Hex Wrench

## INSTALLATION




### STEP 1

Put on safety glasses. Remove original factory hood catches. Make sure to remove and retain the hood bumper from original fender mount. Clean surface to remove dirt and grime. Locate the mounting hole where the fender mount was removed (Fig 1). Place the fender mount isolator pad between the fender mount bracket and the fender mount location for the hood catch. Using the M8 hex head bolt, mount the bracket to the fender using the larger lower center hole. Tighten the 13mm Nylock nut onto the bolt. A ratchet with an extension and the 5mm hex wrench should be used to tighten the nut while keeping the mount square (Fig 2).



### STEP 2

Put original hood bumper on using the tab on the top of the fender mounting bracket (Fig 3).



### STEP 3

Locate the 2 vertical holes on the hood. Place the hood mount isolator pad between the hood and the hood catch, making sure that the top tabs and holes for bolts align (Fig 4). Clip the safety snap onto the top of the catch making sure that the snap fits into the corresponding groove on the back of the catch. Using the M6 hex head bolts and 10mm Nylock nut, securely tighten the hood catch to the hood (Fig 5).



#### STEP 4

Put a hex binding barrel and screw through the lower holes in the latch (Fig 6). Tighten using two 5mm hex wrenches. Position the longer upper part of the latch arm so that the upper holes align with the longer tunnel on the arm. Insert the binding barrel and screw through each side and tighten using two 5mm hex wrenches (Fig 7).

#### STEP 5

Attach the latch and arm assembly to the fender mount bracket using the remaining binding barrel and screw. Tighten with two 5mm hex wrenches (Fig 8).



#### STEP 6

To close latch, hook the lower binding barrel over the hooks on the hood catch (Fig 9). Push the upper portion of the latch toward the hood. Make sure the safety snap comes through the opening and secures the latch (Fig 10). To open latch, push down on the safety snap and firmly pull latch away from the hood. You may need to push down on the hood to unhook the lower binding barrels to remove.

# TACTIK® Exclusive One Year Limited Warranty

Your TACTIK® branded accessories are covered by the following Limited Warranty provided exclusively by TACTIK® located at 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. TACTIK® neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**.

**What is Covered:** Subject to the terms, exclusions and limitations herein and with respect only to TACTIK® branded accessories first sold in the United States, TACTIK® warrants to the initial retail purchaser only that your TACTIK® accessory shall be free of defects in material and workmanship: **for a period of one (1) year from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the TACTIK® accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 1 year from date of initial retail sale. TACTIK® reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

#### **What is Not Covered:**

Your TACTIK® **Limited Warranty** does not cover products or parts TACTIK® determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

**Remedy Limited to Repair/Replacement:** The exclusive remedy provided hereunder shall, upon TACTIK® inspection and at TACTIK's option, be either repair or replacement of product or parts (new or refurbished) covered under this **Limited Warranty**. Customers requesting warranty consideration should first contact TACTIK® to obtain a RGA number via telephone at 800-603-4064, or initiate customer service by email at: [customerservice@tactik4x4.com](mailto:customerservice@tactik4x4.com). All labor, removal, shipping and installation costs are customer's responsibility.

#### **Other Limitations - Exclusion of Damages - Your Rights Under State Law:**

In consideration of the purchase price paid, neither TACTIK® nor any independent TACTIK® distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©TACTIK® 2021 All Rights Reserved. A4 Version