



! WARNING !

AND UNDERSTAND ALL INSTRUCTIONS AND PROCEDURE NOTICES BEFORE ATTEMPTING TO INSTALL OR USE THIS PRODUCT.

TO REDUCE RISK OF SERIOUS INJURY OR PROPERTY DAMAGE: READ ALL SAFETY MESSAGES

! CAUTION !

INSTALLING OR MAINTAINING THIS PRODUCT. DO NOT USE IF DAMAGED.

RISK OF EYE INJURY! SAFETY GLASSES MUST BE WORN AT ALL TIMES WHILE



B.



C.



D.



E.



REQUIRED TOOLS

Safety Glasses
Flathead Screwdriver
Torx Drivers*
Drill
3/8 Drill Bit

PARTS LIST

A. Keys (4)
B. M8 Hex Bolt (16)
C. M8 Flat Washer (16)
D. M8 Nylock Nut (16)
E. "L" Bracket (4)

*May require multiple sizes.

Note: If installing in a two door JK model you will need to remove the rear seat from the vehicle. Due to variations between models and different manufacture options, mounting is not the same in all vehicles. The storage box can be securely mounted in various ways, using the "L" brackets or box base mounting holes or a combination of both. It is recommended to mount the locking storage unit using four mounting points.

INSTALLATION (BOX PREP)



STEP 1

Put on safety glasses. Locate the factory floor tie down mounts. Using a flathead screwdriver, lift up the cover on the tie down. (Fig 1) Remove all of the seat mount brackets using a Torx driver*. (Fig 2)



STEP 2

Remove the drawer from the storage box completely. Pull the drawer out and release the side locking clamps. Push down on the left and right side. This will enable you to remove it. (Fig 3) Remove anything from the inside of the vehicle. You will also need to remove your floor jack from under the rear storage location. Set the box in the back of the vehicle and make sure the drawer will not interfere with the tailgate latch. (Fig 4)

Note: If you do not want to drill and permanently secure your box, simply slide the drawer back into the box and you are done.

"L" Mounting Brackets

On some vehicle models it will be required to use the included "L" bracket to reach the factory floor tie down mounting locations. With the storage box in the desired location, align the mounting "L" bracket with the floor mounting point. Then mark the needed mounting hole to attach the "L" bracket to the storage box. Continue to **Step 3** to complete drilling and mounting.



STEP 3

To permanently mount the storage box in the back of the vehicle mark four corresponding mounting hole locations. It is best to mark these locations to utilize the factory tie down points. Once holes are marked remove the box and drill mounting holes using 3/8 drill bit. (Fig 5) Using factory tie down hardware, place the storage box back into the vehicle and secure the box to the vehicle. Slide drawer back into the outer structure ensuring the roller tracks slide smoothly. (Fig 6)

TACTIK® Exclusive One Year Limited Warranty

Your TACTIK® branded accessories are covered by the following Limited Warranty provided exclusively by TACTIK® located at 1028 Saunders Lane, West Chester PA 19380.

This **Limited Warranty** is the only warranty made in connection with your purchase. TACTIK® neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or **Limited Warranty**.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to TACTIK® branded accessories first sold in the United States, TACTIK® warrants to the initial retail purchaser only that your TACTIK® accessory shall be free of defects in material and workmanship: **for a period of one (1) year from date of retail purchase.**

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the TACTIK® accessory is installed or other transfer to third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 1 year from date of initial retail sale. TACTIK® reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this **Limited Warranty** as a condition of warranty service and, (b.) make future revisions to this product and **Limited Warranty** without prior notice or obligation to upgrade your product.

What is Not Covered:

Your TACTIK® **Limited Warranty** does not cover products or parts TACTIK® determines to have been damaged by or subjected to: (a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon TACTIK® inspection and at TACTIK's option, be either repair or replacement of product or parts (new or refurbished) covered under this **Limited Warranty**. Customers requesting warranty consideration should first contact TACTIK® to obtain a RGA number via telephone at 800-603-4064, or initiate customer service by email at: customerservice@tactik4x4.com. All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages - Your Rights Under State Law:

In consideration of the purchase price paid, neither TACTIK® nor any independent TACTIK® distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.

This **Limited Warranty** gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©TACTIK® 2022 All Rights Reserved. A4 Version 5/18/2022
Instructions Part Number: #12999-3251