

# Quadratec® PreRunner Light Kit

Installation Manual: for Gladiator JT ('20-'Current) Vehicles  
#97109.1145



#### **PARTS LIST:**

Prerunner Light Harness  
Light Mounts (QTY 3)  
Cable Ties (QTY6)

#### **REQUIRED TOOLS:**

Safety Glasses  
Phillips Head Screwdriver  
Small Flat Blade Screwdriver

**⚠ CAUTION ⚠**


**READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS BEFORE ATTEMPTING TO INSTALL THIS PRODUCT. ALWAYS WEAR SAFETY GLASSES DURING INSTALL.**

**Quadratec®**  
The Jeep® Experts

## Install Preparation & Grille Removal




Put on safety glasses. Open the hood of your Jeep®. Put the prop rod into the correct slot to hold hood open (FIG 1).



Locate the six plastic fasteners that secure the front grille to the upper body support (FIG 2).



Pry up the plastic fasteners (6 total) using a small flat blade screwdriver. First remove the center, then remove the body of each plastic retainer (FIG 3). Set rivets aside in a safe place for re-installing the grille.



Gently tilt the grille forward and then gently pop the lower portion of grille from its (8) retaining clips. (FIG 4).

## PreRunner Lights Installation



Locate the "T" end of the new light wiring harness.



Fish it through the rubber barrier on the driver side of the radiator as shown.



Route the harness behind the headlight and past the reservoir bottle towards the firewall on the drivers side.



Locate the drivers side fender flare lamp harness connector by looking from underneath the wheel well. (FIG 8)



Slide the red locking tab backwards and disconnect the plug. (FIG 2) Then, plug in the new Tee harness to each side of



the OEM harness until you hear a click and then push the red and gray locking tabs to lock the connections. (FIG 11)

**Quadratec**  
The Jeep Experts

## PreRunner Lights Installation



With the wiring now routed towards the grill, Locate the 2nd, 4th and 6th slots in the grill as shown (FIG 12) Then locate the 2nd from the top complete diamond shape, this is where to place the lights. Note: On models with the



front camera you will need to lower the light in the center slot and the other two to match if desired. Next, carefully separate the rubber grommet from the light and fish them through each hole in the grill to be used. (FIG 13)



Slide the light mounts over the wire loom as shown. (FIG 14) Snap each diamond-shaped light mount into the the correct grill. Squeeze the bottom



together at the slot and that will allow them to clip in. Push mount in and flush until it clicks. (FIG 15)

## PreRunner Lights Installation



*Slide the rubber grommet down the loom and push it into the light mount. (FIG 17)*



*Push the LED light into the rubber grommet to seat the light into the mounting bracket. (FIG 18)*

*Repeat on the other two grille slots and secure the harness appropriately with the provided cable ties.*

*Finally, reinstall the Grille assembly in reverse order of the steps to remove it.*

**⚠ CAUTION ⚠**

**ALWAYS CHECK TURN SIGNAL AND HEADLIGHTS FUNCTION BEFORE DRIVING AFTER PRERUNNER LIGHT INSTALLATION.**

**Quadratec®**  
The Jeep® Experts



**Quadratec**  
The Jeep Experts



Illuminated for Night Driving

**Quadratec**  
The Jeep Experts

# Quadratec® Exclusive Three Year Limited Warranty

Your Quadratec® branded accessories are covered by the following Limited Warranty provided exclusively by Quadratec, Inc., 1028 Saunders Lane, West Chester PA 19380.

*This Limited Warranty is the only warranty made in connection with your purchase. Quadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by Quadratec for which the Manufacturer provides a separate written warranty.*

*What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to Quadratec branded accessories first sold in the United States, Quadratec warrants to the initial retail purchaser only that your Quadratec accessory shall be free of defects in material and workmanship: for a period of three (3) years from date of retail purchase.*

*This Limited Warranty is not assignable and shall terminate upon sale of the vehicle upon which the Quadratec accessory is installed or other transfer third persons.*

*All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. Quadratec reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.*

*What is Not Covered: Your Quadratec Limited Warranty does not cover products or parts Quadratec determines to have been damaged by or subjected to:*

*(a.) installation damage, alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.*

*Remedy Limited to Repair/Replacement: The exclusive remedy provided hereunder shall, upon Quadratec inspection and at Quadratec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.*

*Other Limitations - Exclusion of Damages - Your Rights Under State Law: In consideration of the purchase price paid, neither Quadratec nor any independent Quadratec distributor/licensee are responsible for any time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur in connection with any part or product purchased. Your exclusive remedy hereunder for covered parts is repair/replacement as described above.*

*This Limited Warranty gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.*

©Quadratec, Inc. 2019. All Rights Reserved.  
8.27.20 A4 Version

Part #97109.1145

**Quadratec®**  
The Jeep® Experts