



9WATT RGB LED ROCK LIGHTS

QTE766
4PCS ROCK



QTE767
8PCS ROCK



VER: 20-1

INTRODUCTION:

Thank you for purchasing our 9watt RGB Rock Lights. Carefully remove all the components and examine for any missing parts or visible damage caused by shipping and report any damage to the carrier and keep the shipping package. Take a good look at all the components so you are familiar with them before digging into this.




PARTS LIST:

1. BLUETOOTH RGB CONTROLLER
2. 9W RGB ROCK LIGHTS (4PCS-QTE766 or 8PCS-QTE767)
3. M4 LOCK NUTS (8PCS-QTE766 or 16PCS-QTE767)
4. M4 WASHERS (8PCS-QTE766 or 16PCS-QTE767)
5. M4x25MM BOLTS (8PCS-QTE766 or 16PCS-QTE767)
6. RUBBER PAD - TUBES (4PCS-QTE766 or 8PCS-QTE767)
7. RUBBER PAD - FLAT (4PCS-QTE766 or 8PCS-QTE767)

REQUIRED TOOLS :

- 3MM ALLEN HEAD WRENCH
- 7MM WRENCH OR SOCKET
- 4MM DRILL BIT AND DRILL



Record any serial no. here _____

WARNING:

Read all instructions and warnings before installing and using.

INSTALLER: This manual must be delivered to the end user of this equipment.



ONLY CONNECT to QUAKE LED 9 Watt Rock Light Controllers!

WARNING! Only connect these High Power 9 Watt RGB Rock Lights to this controller or our Quad Lock Pro Controller #QUIC765!

Do not attempt to connect to any other Quake LED RGB Controllers such as our KEY-FOB #QAK487, Bluetooth #QW837 or the Interlock controller #QUIC810!

Do not connect to any other brand RGB controllers! Connecting to a incorrect low power RGB Controller will damage these 9 Watt LED diodes and further damage that controller! We designed these 9 Watt Red Connectors to visually match the red Connectors on approved 9 Watt controllers!

DO NOT EXTEND the RGB wires by yourself. We have many RGB extension wires available in various lengths for purchase.

Make sure you line up the Arrows on BOTH connectors as well. The Arrows must line up our you can damage the 9 Watt Rock Light and controller. Remember Arrow to Arrow and Red to Red.

ITS THE LAW: For off-road use only. Check your local state laws before using accent color or flashing features. Use at your own risk. Quake LED is not liable for any fines you may receive or other issues.

INSTALLATION

Step 1. Temporarily connect the Rock Lights to the RGB Splitter and the Bluetooth RGB Controller to a 12-volt power source and test for full functionality prior to installation. This will give you a great understanding of the product before you touch the vehicle. Go to Step 12 to get the Bluetooth Controller App if you want to pre-install the controllers smartphone app and test different colors.

Step 2. Once you are ready to install. Disconnect the negative side of the vehicle's battery.



— LIGHT UP THE DARKNESS —



9WATT RGB LED ROCK LIGHTS

QTE766
4PCS ROCK



QTE767
8PCS ROCK



VER: 20-1

Step 3. Determine where you will mount the RGB controller and how you will switch the lights on and off. Although you can turn on and off the lights via the smartphone App that we will install in later steps. We highly recommend to utilize a manual switch. When connected to a constant source such as directly to the battery. You will need to manually turn the lights off via the Bluetooth App every time. It will not shut off when your vehicle does.

Connect the Bluetooth controller's fused red power wire to a positive (+) 12 volt source and the black wire to a negative ground chassis (-).

Be sure to use 16 or 18 gauge automotive grade wiring if you need to extend these red and black wires. Be sure to install the fuse within 6 inches of the battery so it is easy to find. Use grommets if wires must go through any firewall.

Step 4. Determine where you will mount the RGB rock lights to your vehicle. We recommend 2 per wheel to get the best glow effect. Keep in mind that you will have to drill two 4mm holes per rock light to mount them. Make sure there is nothing behind that are you are drilling into!

Step 5. We offer two types of rubber mounting pads to protect the vehicle. The thicker pad works perfect for tubes, bars or pipes. The flat pad is perfect for flat surfaces. We offer 3 wire routing and exit channels/ports. Choose which route allows for a clean install and directs the wire towards the bluetooth controller.



WIRE EXIT SIDE



WIRE EXIT TIP




WIRE EXIT BASE



TUBE/PIPE RUBBER GASKET



FLAT SURFACE RUBBER GASKET



RUBBER PADS AND MOUNTING HARDWARE

Test that all functions work correctly and secure all wires with plastic cable ties.

Now that you have your new Quake LED RGB Rock Lights installed, wires routed and wire connectors assembled, it's time to download and install the Android or iPhone App in order to control your RGB colors. You will need to use this App to scan for the rock light in order for the App to control the rock light RGB accenting. Scan the QR Code that will work with your smart phone. You will need to use the App to scan for the App to control the lights. You MUST USE THIS App and only this App. No other App will work!

Once you successfully scan the QR Code, a new window will automatically open and confirm that you want to download the App from the App store. Click yes and allow the app to download to your phone. After successfully downloading the App, turn on your smart phone Bluetooth function and open the App.



-Wire Diagram is for Illustration Only.

-Actual wire harness lengths and wire gauge are not to scale.

-Actual wire harness components and lights are not to scale.



— LIGHT UP THE DARKNESS —



9WATT RGB LED ROCK LIGHTS

QTE766
4PCS ROCK




QTE767
8PCS ROCK



VER: 20-1

1 BLUETOOTH ON




Bluetooth Accent Controller must be switched on

2 TURN APP ON




Open the App on your smart phone

3 SCANNING




Open the scanning menu in top left corner

4 CONNECTED



Once found, click the light bulb so it highlights green


5 MAIN MENU



6 COLOR MENU



7 FLASHING & STROBE MENU



- #1, Use Color Ring to pick color.
- #2, Click PRESET to pick and auto save your 6 favorite colors.
- #3, Use the Slider Bar to adjust color brightness.

Spin up and down to choose a flash or strobe effects

*-Wire Diagram is for Illustration Only.
-Actual wire harness lengths and wire gauge are not to scale.
-Actual wire harness components and lights are not to scale.*



— LIGHT UP THE DARKNESS —



9WATT RGB LED ROCK LIGHTS

QTE766
4PCS ROCK




QTE767
8PCS ROCK



VER: 20-1


8 MUSIC MENU



MUSIC


Sync the rock lights to music on your phone

9 MUSIC SETTINGS




If you cannot find your music Go to the App setting and turn on "Media and Music"

10 APP SETTINGS





Go to the settings menu to change your background graphics & find user guide

WIRE DIAGRAM



Align arrows before engaging RGB connectors



-Wire Diagram is for Illustration Only.
-Actual wire harness lengths and wire gauge are not to scale.
-Actual wire harness components and lights are not to scale.

LIGHT UP THE DARKNESS