

Stealth Performance LED Lighting Harness Instructions (Universal)

AWARNING A

TO REDUCE RISK OF SERIOUS INJURY OR PROPERTY DAMAGE: READ ALL SAFETY MESSAGES AND UNDERSTAND ALL INSTRUCTIONS AND PROCEDURE NOTICES BEFORE ATTEMPTING TO INSTALL OR USE THIS PRODUCT. FOLLOW ALL INSTRUCTIONS AND WARNINGS WITH PRODUCT & VEHICLE OWNERS MANUAL.

AWARNING A

RISK OF EYE INJURY! SAFETY GLASSES MUST BE WORN AT ALL TIMES WHILE INSTALLING OR MAINTAINING THIS PRODUCT.

NOTICE

ALWAYS VERIFY THE LOCATION OF ALL ELECTRICAL COMPONENTS IN YOUR VEHICLES OWNER'S MANUAL. THESE INSTRUC-TIONS ARE MEANT AS A GUIDE BUT SOME COMPONENT LOCATIONS AND WIRING CAN VARY BETWEEN VEHICLE PRODUCTION DATES AND MODEL YEARS.

A Few Words About Product Safety:

Your wiring harness is intended to enhance the function and visibility of your off road capable vehicle. Before installation, please take a moment to review the following safety information and installation instructions. Important safety information is generally proceeded by one of three signal words indicating the relative risk of injury. The signal words mean:

AWARNING A

a hazardous situation which, if not avoided, could result in death or serious injury. You CAN be KILLED or SERIOUSLY HURT if you don't follow instructions.

ACAUTION A

a hazardous situation which, if not avoided, could result in minor or moderate injury. You CAN be moderately HURT and also may suffer property damage if you don't follow instructions.

NOTICE

Careful attention is required to this instruction or operation but does generally not relate to personal injury. Damage to your Quadratec[®] product or other property may result if you don't follow instructions.

Wiring Harness Installation:

ACAUTION A

IF YOU ARE NOT FAMILIAR WITH 12V AUTOMOTIVE ELECTRICAL SYSTEMS CONSULT A TRAINED AUTOMOTIVE TECHNICIAN.

ACAUTION A

MAKE SURE ALL WIRES ARE KEPT AWAY FROM MOVING PARTS OR EXHAUST COMPONENTS. USE CABLE TIES TO SECURE WIRES PROPERLY.

ACAUTIONA

DISCONNECT VEHICLE NEGATIVE BATTERY TERMINAL AND REMOVE FUSE FROM THIS ACCESSORY WIRING HARNESS BEFORE INSTALLATION.

ACAUTION A


DO NOT EXCEED 40A RATING OF WIRE HARNESS, FUSE RATING OF 30A.

Harness Specification:


- Current Rating: 40 Amps
- Universal LED Wiring Harness
- Fits up to (2) 300W Lights
- 12V 40A 4-Pin Automotive Relay
- 3-Pin On/Off Rocker Switch with LED Indicator
- IP65 Sealed Water & Dust Proof Fuse Holder
- 40 Amps Blade Fuse
- IP65 Sealed Weather Pack Deutsch DTP Connectors(Male & Female)
- Suits Multiple Rocker Switch Brands Easily Change to Other Switches
- Heavy Duty Cables (UL Approved)



P/N: 97109-1181 / Single Light bar Harness



P/N: 97109-1182 / Dual Light Harness



INSTRUCTIONS:

- 1. Remove fuse from fuse holder on red positive wire.
- 2. Disconnect negative terminal from car battery.
- 3. Locate spot near battery to securely mount wire harness relay (C).
- 4. Connect M8 black (-) wiring terminal (A) to negative (-) vehicle battery terminal.
- 5. Connect M8 red fused wiring terminal (B) to positive (+) vehicle battery terminal.
- 6. Run switch wiring (D & E) into vehicle. Locate suitable location for switches to be mounted.
- 7. Run male LED light connector / Connectors (F) to mounting location of light /lights and connect.
- 8. Reconnect negative terminal to car battery. If may be necessary to reset vehicle clock and or radio.





Lifetime Limited Warranty

Your Quadratec® branded accessories are covered by the following **Limited Warranty** provided exclusively by Quadratec, Inc., 1028 Saunders Lane, West Chester PA 19380.

This Limited Warranty is the only warranty made in connection with your purchase. Quadratec neither assumes nor authorizes any vendor, retailer or other person or entity to assume for it any other obligation or liability in connection with this product or Limited Warranty. This Limited Warranty does not apply and is not cumulative to any accessory or part distributed by Quadratec for which the Manufacturer provides a separate written warranty.

What is Covered: Subject to the terms, exclusions and limitations herein and with respect only to Quadratec branded accessories first sold in the United States, Quadratec warrants Off-Road LED Light Bars, LED Auxiliary Lights, LED Work Utility Lights to be free of original defects in material and workmanship to the original purchaser of the product, with proof of purchase, and is limited to the original vehicle installation. Quadratec will repair or replace, at its sole discretion, product covered by this warranty. If, at our discretion a product requires repair or return, the customer (end consumer) will be responsible for the cost of shipping to and from the manufacturer as needed. Standard shipping for claims is ground to and from manufacturer. Any expedited shipping fees will be incurred at the discretion of the consumer.

This **Limited Warranty** is not assignable and shall terminate upon sale of the vehicle upon which the Quadratec accessory is installed or other transfer third persons.

All other warranties are hereby disclaimed, except to the extent prohibited by applicable law in which case any implied warranty of merchantability or fitness for a particular purpose on this product is limited to 3 year from date of initial retail sale. Quadratec reserves the rights to: (a.) require invoice or other proof your accessory is within the terms of this Limited Warranty as a condition of warranty service and, (b.) make future revisions to this product and Limited Warranty without prior notice or obligation to upgrade your product.

What is Not Covered:

Your Quadratec **Limited Warranty** does not cover products or parts Quadratec determines to have been damaged by or subjected to: (a.) installation damage,

alteration, modification, combination with other parts, failure to maintain or improper repair or service, (b.) normal wear & tear, cosmetic damage or damage from moisture or water immersion, (c.) Acts of God, accidents, misuse, negligence, inadequate mounting or impact with vehicle(s), obstacles or other aspects of the environment, (d.) theft, vandalism or other intentional damage.

This warranty is void if the LED housing is opened or unscrewed, if the protective seal is broken, or if tampering is evident. Quadratec reserves the right to make the aforementioned determinations to grant or deny warranty. Quadratec shall have no liability for any incidental or consequential damages of any kind including property damage, or personal injury resulting from the use or misuse of this product. Warranty excludes LED Brackets.

Remedy Limited to Repair/Replacement: The exclusive remedy provided hereundershall, upon Quadratecin-spection and at Quadratec's option, be either repair or replacement of product or parts (new or refurbished) covered under this Limited Warranty. Customers requesting warranty consideration should first contact Quadratec to obtain a RGA number (610-701-3336). All labor, removal, shipping and installation costs are customer's responsibility.

Other Limitations - Exclusion of Damages - Your Rights
Under State Law. In consideration of the purchase
price paid, neither Quadratec nor any independent
Quadratec distributor/licensee are responsible for any
time loss, rental costs, or for any incidental, consequential, punitive or other damages you may have or incur
in connection with any part or product purchased.
Your exclusive remedy hereunder for covered parts
is repair/replacement as described above.

This Limited Warranty gives you specific rights. You may also have other rights that vary from state to state. For example, some states do not allow limitations of how long an implied warranty lasts and /or do not allow the exclusion or limitation of incidental or consequential damages, so the limitations and exclusions herein may not apply to you.

©Quadratec, Inc. 2024. All Rights Reserved. LTR Version 6.26.20

Instructions Part #12999.3145

